

Please complete all sections

<p>Child's Initials: [redacted] D.O.B: [redacted] 81</p> <p>BRI number: [redacted]</p> <p>BRHSC number: [redacted]</p>	<p>Diagnosis: ASD Secundum</p>	<p>Overall Outcome: Alive No disability</p>
--	---	--

Additional Comments:

Overall grade for adequacy of care: 4

Date of Review: 05.08.99

Team No: [redacted]

Number of notes attached:

- (a) pre operative care - ✓
- (b) surgical and post operative care - ✓

Signed Team Co-ordinator

Please use the following summary scores for adequacy:

Overall adequacy of care and relevance to outcome:

- 4 = Adequate
- 3 = Less than adequate care but different management would have made no difference to outcome.
- 2 = Less than adequate care - different management MIGHT have made a difference to outcome (i.e. avoidable factor of uncertain influence on outcome).
- 1 = Less than adequate care in which different management would reasonably be expected to have made a difference to outcome (i.e. an avoidable factor which probably contributed to death or disability)
- X = Insufficient information for comment.

Completed returns to: Claire Bache, Bristol Royal Infirmary Inquiry, 2-10 Temple Way, Bristol, BS2 0BY
Telephone: 0117 938 8727 Fax: 0117 938 8789/8790

CCNR 58 01

Child's Initials: [REDACTED] D.O.B: [REDACTED] 81

Date of Procedure: [REDACTED] 09.88

Aspects of Care:	Adequacy of Care: 4, 3, 2, 1, or X	Comments – especially relevance of less than adequate care to outcome:	Specialty: GP, Cardiologist, Surgeon, Anaesthetist/Intensivist, Nursing, Technical, Pathologist,
Timing and appropriateness of initial referral/condition on arrival	4		
Clinical assessment and management	4		SCJ
Accuracy and completeness of diagnosis	4		SCJ
Appropriateness of initial treatment strategy	4		SCJ
Timing of planned treatment	4		SCJ/JPD
Immediate pre-operative management incl. nursing	X	No pre-operative nursing note.	

Please use the following summary scores for adequacy:

Overall adequacy of care and relevance to outcome:

- 4 = Adequate
- 3 = Less than adequate care but different management would have made no difference to outcome.
- 2 = Less than adequate care – different management MIGHT have made a difference to outcome (i.e. avoidable factor of uncertain influence on outcome).
- 1 = Less than adequate care in which different management would reasonably be expected to have made a difference to outcome (i.e. an avoidable factor which probably contributed to death or disability)
- X = Insufficient information for comment.

CCNR 58 02

Child's Initials: [REDACTED]

D.O.B: [REDACTED] 81

Date of Procedure: [REDACTED] 09.88

Aspects of Care:	Adequacy of Care: 4, 3, 2, 1, or X	Comments - especially relevance of less than adequate care to outcome:	Specialty: GP, Cardiologist, Surgeon, Anaesthetist/Intensivist, Nursing, Technical, Pathologist,
Surgical Procedure	4	Longer than expected bypass and cross clamp times.	Chatterjee/Khan
Perfusion	4		
Anaesthetic	4		Bolsin/Kolditz
Post operative care and assessment 1. ITU - Medical	4		
Post operative care and assessment 2. Surgical	4		
Post operative care and assessment 3. Paediatric cardiological	4		
Post Mortem	-		

Please use the following summary scores for adequacy:

Overall adequacy of care and relevance to outcome:

- 4 = Adequate
- 3 = Less than adequate care but different management would have made no difference to outcome.
- 2 = Less than adequate care - different management MIGHT have made a difference to outcome (i.e. avoidable factor of uncertain influence on outcome).
- 1 = Less than adequate care in which different management would reasonably be expected to have made a difference to outcome (i.e. an avoidable factor which probably contributed to death or disability)
- X = Insufficient information for comment.